



C300 3G Attendance Clocking System

Our C300 3G capable clocking system provides detailed, accurate time and attendance data for your business. Each terminal is supplied with a separate 3G router to send clocking data via 3G mobile network, making the C300 ideal for tracking staff attendance at remote sites. The C300 is available with contactless RFID proximity clocking, biometric fingerprint, or facial recognition technology.

Clocking Methods

All 3G clocking terminals support proximity clocking via badge or keyfob, with the option of a personal PIN for additional security. If a biometric solution is chosen, staff can register their fingerprint or facial profile quickly and securely, leaving you safe in the knowledge that they cannot clock each other in or out. Each attendance event is accompanied by an audible and visual message to confirm success. The ClockRite System has the capacity for up to 16 clockings per employee each day.

Registration & Recording

Fingerprint or facial registration is extremely quick and easy, taking just ten seconds per staff member. If a proximity clocking method is chosen, staff can begin clocking immediately with their assigned badge or keyfob.

Data Storage & Download

Clocking data is stored on the 3G terminal until downloaded via mobile network to your head office location. All terminals support both LAN and USB downloads, ensuring data can still be retrieved manually in case of mobile network outage. Once downloaded, individual time sheets can be calculated and displayed in detailed reports. Attendance and payroll data is then stored securely on your PC or server.

ClockRite Software

The C300 clocking system incorporates our in-house ClockRite Software suite to provide an intuitive and versatile time and attendance management solution for your business. Basic and overtime hours are calculated automatically according to your specific shift patterns, while late starts, early finishes, grace and roundings can be managed and defined at the click of a button. Holidays and absence are recorded in detail for individual employees, and comprehensive reports make payroll preparation quick and easy.

Proximity Clocking Terminal Specification:

- 125kHz proximity reader for high-efficiency identification
- Built in serial, ethernet & USB ports
- Built in bell scheduling
- Audio-visual feedback for attendance events
- 10,000 card capacity
- B&W LED display
- Power Supply: Input: 100 - 240V | Output: 5V / 2A
- Operating temperature: 0 - 45C
- Operating humidity: 20% - 80%
- Dimensions: H/144mm | W/96mm | D/40mm



Fingerprint Clocking Terminal Specification:

- Optical fingerprint sensor
- 3000 fingerprint capacity
- Integrated proximity reader
- Built in serial, ethernet & USB ports
- Built in bell scheduling
- Audio-visual feedback for attendance events
- Colour TFT display
- Power Supply: Input: 100 - 240V | Output: 5V / 2A
- Operating temperature: 0 - 45C
- Operating humidity: 20% - 80%
- Dimensions: H/123mm | W/180mm | D/50mm



Face Recognition Terminal Specification:

- Stereo dual biometric sensor
- 800 facial template capacity
- Integrated proximity reader
- Built in serial, ethernet & USB ports
- Built in bell scheduling
- Audio-visual feedback for attendance events
- Colour TFT display
- Power Supply: Input: 100 - 240V | Output: 12V / 1.5A
- Operating temperature: 0 - 45C
- Operating humidity: 20% - 80%
- Dimensions: H/165mm | W/119mm | D/115mm



C300 Package:

- C300 Attendance Clocking Terminal
- ClockRite PC Time & Attendance Software
- Detailed Online Setup and Usage Guides
- 12 Months Remote Support
- Sage Payroll Link
- Free UK Mainland Delivery

Any questions?
Call us now on 01246 267715